INDEX TO VOLUME XXXI
1955



INDEX OF SUBJECTS

3-Acetyl pyridine—Pathologic effects of antimetabolites. I. Acute lesions in the hypothalamus, peripheral ganglia, and adrenal medulla caused by and prevented by nicotinamide. (Hicks: January-	*
February) Actinomycin D—Carcinolytic action of antibiotics: puromycin and	189
(Farber: May-June). Adenoma—Influence of the intensity of exposure upon the number of pulmonary adenomas initiated by a single in vitro exposure to ultra-	582*
violet irradiation. (Rogers: May-June) Adrenal gland—Adrenal necrosis and thrombosis in routine necropsies.	582*
(Plaut: January-February) —Hyperadrenocorticism: a histochemical study of surgically resected	93
 adrenal glands. (Cohen, Chapman, and Castleman: May-June) Pathologic effects of antimetabolites. I. Acute lesions in the hypothalamus, peripheral ganglia, and adrenal medulla caused by 3-acetyl pyridine and prevented by nicotinamide. (Hicks: January- 	570*
February) Adrenal necrosis and thrombosis in routine necropsies. (Plaut: January-	189
February)	93
Alloxan—Cytology of islet cells in diabetic rabbits. (Bencosme:	1149
Alpha cells-Effect of large doses of growth hormone on the pancreatic	49
in the rat. (Volk and Goldner: May-June) Altitude—Susceptibility of endocardium of rats to various bacteria.	569*
(Highman and Altland: May-June)	603*
phase of the disease. (Aronson, Volk, and Epstein: July-August). American Association of Pathologists and Bacteriologists—Proceedings	609
of the (May-June) deficiencies. IV. Tryptophan.	557
// // 37 1 7 1	IIII
Aminonucleoside—Nephrotic syndrome induced in rats by (Craig: May-June)	
Amyloid—Electrophoretic analysis of (Wagner: May-June)	591* 573*
Analytical pathology. II. Histopathologic demonstration of glomerular- localizing antibodies in experimental glomerulonephritis. (Mellors,	
Arias-Stella, Siegel, and Pressman: May-June, 592*; July-August) Aneurysm—Bacterial aortitis and mycotic of the aorta: a report of	687
twelve cases. (Parkhurst and Decker: September-October)	821
May-June)	576*
Antibodies—Analytical pathology. II. Histopathologic demonstration of glomerular-localizing in experimental glomerulonephritis. (Mellors, Arias-Stella, Siegel, and Pressman: May-June, 592*;	
July-August)	687
Antigen—Detection of soluble carcinoma by use of the Schultz-Dale test. (Makari: May-June)	581*
-Systemic effects of carbon particles coated with (Garcia-	301
Caceres and Black-Schaffer: May-June)	601*
Antimetabolites—Pathologic effects of I. Acute lesions in the hypothalamus, peripheral ganglia, and adrenal medulla caused by 3-acetyl pyridine and prevented by nicotinamide. (<i>Hicks:</i> January-	
February)	189
Aorta—Aneurysms of the: a report of 358 cases. (Brindley and Stembridge: May-June)	576*
—Bacterial aortitis and mycotic aneurysm of the : a report of twelve cases. (Parkhurst and Decker: September-October)	821

^{*} Abstract of paper presented at the meeting of the American Association of Pathologists and Bacteriologists held at Houston, Texas, April 7, 8, and 9, 1955.

Intimal sensit of the of the milit following amorings and	
-Intimal repair of the of the rabbit following experimental	
trauma. (Prior and Hutter: January-February)	107
merulonephritis. (Grishman and Churg: May-June)	602
Arteries—Experimental arteriopathy: spontaneous, epinephrine-thy-	002
roxine, and cholesterol-induced forms. (Oester, Davis, and Friedman:	
July-August)	717
Arteriosclerosis-Coronary arteriosclerotic heart disease in the younger	,-,
age group; its greater frequency among an increasingly older nec-	
ropsy population. (Saphir and Ohringer: May-June)	575
-Rôle of pulmonary hypertension and thrombo-embolism in the	313
production of pulmonary (O'Neal and Thomas: May-June) .	578
Arthropathy-Hemophilic in dogs. (Swanton and Brinkhous: May-	0,-
June)	596
Asbestos—Granulomatous pneumonitis caused by short-fibered dust	
(chrysotile). (Gross, Westrick, and McNerney: May-June)	579°
Aschoff body—Clinical significance of the based on morphologic and	
histochemical observations. (Tedeschi, Wagner, and Pani: May-	
June)	576
Association of masculinizing ovarian hilus cell tumors, ovarian stromal	
hyperplasia, and lutein-like cell proliferation. (Sternberg: May-	
June)	571
Atherosclerosis—Experimental in the rat. (Bragdon and Mickelsen:	
September-October)	965
Atomic bomb-Pathology of swine exposed to total body gamma ra-	
diation from an source. (Tullis, Lamson, and Madden: January-	
February)	41
Atypical cirrhosis in the duck produced by methylcholanthrene. (Rigdon:	
May-June)	461
Bacterial aortitis and mycotic aneurysm of the aorta: a report of twelve	
cases. (Parkhurst and Decker: September-October)	821
Bacterial endocarditis produced by the tubercle bacillus. (Russell and	
Berthrong: May-June)	577
Basic pathologic forms of cerebral palsy. (Towbin: May-June)	567
Basophilic degeneration of the myocardium. (Scotti: May-June)	606
Blastomycetes-Morphologic variation in tissue of the organisms of the	
blastomycoses and of histoplasmosis. (Moore: November-December)	1049
Blood vessels—Experimental atherosclerosis in the rat. (Bragdon and	
Mickelsen: September-October)	965
-Periarteritis nodosa limited to the pulmonary circulation. (Braun-	_
stein: September-October)	837
Selective renal vasospasm and ischemic renal necrosis produced	
experimentally with staphylococcal toxin. Observations on the	
pathogenesis of bilateral cortical necrosis. (Thal: March-April).	233
Bone marrow—A strain of metastatic epithelial cells derived from long-	
term tissue culture of human (Berman, Stulberg, and Ruddle:	
May-June)	580
pathologic and clinical studies. (Wynne and Russell: May-June) .	584
Brain—Basic pathologic forms of cerebral palsy. (Towbin: May-June).	567
——Embolization of cerebral tissue to lungs following severe head injury.	
(McMillan: May-June)	579
- Experimental cerebral mucormycosis in diabetic rabbits. (Bauer,	
Flanagan, and Sheldon: May-June)	600
-Histoplasmosis of the central nervous system. (Shapiro, Lux, and	
Sprofkin: March-April)	310
—Lesions of the corpus callosum following blunt mechanical trauma	3.9
to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag:	
March April	
March-April)	297

 Morphologic evolution of amaurotic family idiocy: the protracted phase of the disease. (Aronson, Volk, and Epstein: July-August) Sarcoma arising in glioblastoma of the (Feigin and Gross: 	609
July-August)	633
Breast—Increased spontaneous occurrence of fibroadenomas of the in the albino rat influenced by a high fat diet. (Benson, Lev, and	
Grand: May-June)	583*
: studies of the extended radical mastectomy. (Wyatt, Sugar-	
baker, and Stanton: January-February) —Tissue culture of human carcinoma. (Orr and McSwain: Jan-	143
uary-February) Brucella—Immunization against infection. V. Histopathologic appraisal of immunity induced in mice by a streptomycin-dependent	125
mutant of melitensis. (Elberg, Steiner, and Doll: November-	
December) Burns—On the pathogenesis of death due to burning of the skin. (Rosen-	1065
thal, Finamore, Hunter, Hunter, and Roman: May-June)	568*
Cancer of the cervix uteri: a review of 169 necropsied cases. (Marcial-Rojas and Meigs: November-December)	7000
Carcinolytic action of antibiotics: puromycin and actinomycin D.	1077
(Farber: May-June)	582*
Ruddle: May-June)	580*
Cancer of the cervix uteri: a review of 169 necropsied cases. (Marcial-Rojas and Meigs: November-December)	1077
—Cell types and histologic patterns in of the lung: observations on the significance of tumors containing more than one type of cell.	
(Olcott: November-December)	975
(Makari: May-June) Endometrial hyperplasia and produced by estrogen. (Meissner	581*
and Sommers: May-June) —Involvement of internal mammary lymph nodes in of the breast:	571
studies of the extended radical mastectomy. (Wyatt, Sugarbaker,	
and Stanton: January-February) Pathogenesis of bovine ocular squamous cell histopathologic	143
and clinical studies. (Wynne and Russell: May-June)	584*
Three-dimensional analysis of hepatocellular (Elias and	
Popper: May-June) (Orr and McSwain: January-	596*
February) Cardiopneumonopexy—Retrocardiac, intercoronary, and transpleural	125
components in experimentally produced collateral circulation to the	
heart. (Kline, Bloomer, Stern, and Liebow: May-June)	574
(Olcott: November-December)	975
Central nervous system—Histoplasmosis of the (Shapiro, Lux, and Sprofkin: March-April)	319
Cerebral palsy—Basic pathologic forms of (Towbin: May-June) . Chemotherapy—Resistance to quadruple combination in leukemia	567*
L1210 in mice. (Nadel and Hilgar: May-June) Chicken—Newcastle disease virus in cultures of chick embryo tissues: its	605
multiplication, titration, and cytopathogenicity. (Mason and	
Kaufman: September-October)	883
Garcia: September-October)	901

Chlorophyllin injection in pregnant mice. (Glaubach and Antopol: May-	
June)	601*
Choline—Fat emboli in glomerular capillaries ofdeficient rats and of	
patients with diabetic glomerulosclerosis. (Hartroft: May-June)	381
Chromosomes—Further studies in quantitative cytopathology: optical	
measurements of the organic mass and the nucleoprotein mass of	
in normal and neoplastic cells. (Mellors and Ortega: May-June)	604*
Chylothorax—Intrathoracic angiomyomatous hyperplasia associated with chronic (Laipply and Sherrick: May-June)	
Cirrhosis—Atypical in the duck produced by methylcholanthrone	599*
Cirrhosis—Atypical in the duck produced by methylcholanthrene. (Rigdon: May-June)	461
Coarse nodular produced by ethionine. (Popper, Clearkin, Kent,	401
Parthasarathy, and Bruce: May-June)	594*
—Congenital of the liver with kernicterus: report of two cases in	394
siblings with a discussion of the relationship to so-called neonatal	
hepatitis and to iso-immunization disease. (Ehrlich and Ratner:	
November-December)	1013
Histogenesis of hepatic studied by the three-dimensional ap-	1013
proach. (Popper and Elias: May-June)	405
Clinical significance of the Aschoff body based on morphologic and histo-	4-3
chemical observations. (Tedeschi, Wagner, and Pani: May-Iune).	576*
Coarse nodular cirrhosis produced by ethionine. (Popper, Clearkin, Kent,	
Parthasarathy, and Bruce: May-June)	594*
Collagen diseases—Morphologic evidence of the hypersensitive patho-	
genesis of the lesions of experimental hypersensitivity and the	
(More and Movat: May-June)	562*
Comparison of histochemical properties of normal and neoplastic squa-	
mous epithelium. (Foraker: May-June)	581*
Congenital cirrhosis of the liver with kernicterus: report of two cases in	
siblings with a discussion of the relationship to so-called neonatal	
hepatitis and to iso-immunization disease. (Ehrlich and Ratner:	
hepatitis and to iso-immunization disease. (Ehrlich and Ratner:	1013
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolentic-	
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December)	1013 545
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its	
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population.	545
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June)	545
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two	545
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia	545 575*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June)	545
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma	545 575*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June)	545 575* 574*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag:	545 575*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovit, and Freytag: March-April)	545 575* 574*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June)	545 575* 574*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis	545 575* 574*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovit, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations	545 575* 574*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June). Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) .	545 575* 574*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June). Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April). Cortisone—Glomerular ultraviolet absorptions after therapy, sim-	545 575* 574* 297 603* 233
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June)	545 575* 574* 297 603*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovit, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) . Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June) . —Influence of on the development of the experimental silica	545 575* 574* 297 603* 233 570*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovit, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June)	545 575* 574* 297 603* 233
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June). Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April). Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June). —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens	545 575* 574* 297 603* 233 570* 563*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June). Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) . Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June) —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens and Stumpf: March-April)	545 575* 574* 297 603* 233 570* 563* 275
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June) —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens and Stumpf: March-April) —Pancreatic lesions and peripancreatic fat necrosis intreated	545 575* 574* 297 603* 233 570* 563* 275
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June) —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens and Stumpf: March-April) —Pancreatic lesions and peripancreatic fat necrosis intreated rabbits. (Stumpf and Wilens: May-June)	545 575* 574* 297 603* 233 570* 563* 275 563*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June) —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens and Slumpf: March-April) —Pancreatic lesions and peripancreatic fat necrosis intreated rabbits. (Slumpf and Wilens: May-June) Cortisone in experimental histoplasmosis. (Vogel, Michael, and Timpe:	545 575* 574* 297 603* 233 570* 563* 275 563*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) . —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens and Stumpf: March-April) —Pancreatic lesions and peripancreatic fat necrosis intreated rabbits. (Stumpf and Wilens: May-June) Cortisone in experimental histoplasmosis. (Vogel, Michael, and Timpe: May-June)	545 575* 574* 297 603* 233 570* 563* 275 563* 563*
hepatitis and to iso-immunization disease. (Ehrlich and Ratner: November-December) Copper—Histochemical demonstration of in a case of hepatolenticular degeneration. (Green: May-June) Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly older necropsy population. (Saphir and Ohringer: May-June) Coronary artery disease—Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive (Maniglia and Bakst: May-June) Corpus callosum—Lesions of the following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney. (Howe and Parrish: May-June) Cortical necrosis—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral (Thal: March-April) Cortisone—Glomerular ultraviolet absorptions after therapy, simulating diabetes mellitus. (Sommers: May-June) —Influence of on the development of the experimental silica granuloma in the rat. (Clark: May-June) —Nodular and fatty glomerular lesions in rabbits on (Wilens and Slumpf: March-April) —Pancreatic lesions and peripancreatic fat necrosis intreated rabbits. (Slumpf and Wilens: May-June) Cortisone in experimental histoplasmosis. (Vogel, Michael, and Timpe:	545 575* 574* 297 603* 233 570* 563* 275 563* 563*

Cystic disease of the lungs: a consequence of the healing of acute disseminated pulmonary tuberculosis. (Berthrong and Ganem: May-June)	601*
Cystinosis (Lignac-Fanconi disease). (Gatzimos, Schulz, and Newnum: May-June, 567*; September-October)	791
Cytology of islet cells in alloxan diabetic rabbits. (Bencosme: November-	19-
December)	1140
Destructive effects of DV ethicsise on the second storage and and	
Destructive effects of DL-ethionine on the pancreas, stomach, and sub-	
maxillary glands. (Loring and Hartley: May-June)	521
Detection of soluble carcinoma antigen by use of the Schultz-Dale test.	
(Makari: May-June)	581
Diabetes—Cytology of islet cells in alloxan diabetic rabbits. (Bencosme:	
November-December)	1149
Experimental cerebral mucormycosis in diabetic rabbits. (Bauer,	
Flanagan, and Sheldon: May-June)	600*
Diabetes mellitus-Fat emboli in glomerular capillaries of choline-defi-	
cient rats and of patients with diabetic glomerulosclerosis. (Hartroft:	_
May-June).	381
Fat embolism in diabetic patients without physical trauma. (Kent:	
May-June).	399
-Histochemical observations on hyalinized islets of Langerhans in	
(Toreson and Rinehart: May-June)	569
Histopathology of experimental glomerular lesions simulating human diabetic glomerulosclerosis. (Bloodworth and Hamwi: Jan-	
human diabetic glomerulosclerosis. (Bloodworth and Hamwi: Jan-	
uary-February)	167
Diet-Increased spontaneous occurrence of fibroadenomas of the breast	
in the albino rat influenced by a high fat (Benson, Lev, and	
Grand: May-June)	583*
Dietary deficiencies—Histopathology of amino acid deficiencies. IV.	
Tryptophan. (Scott: November-December)	IIII
DL-ethionine—The destructive effects of on the pancreas, stomach,	
and submaxillary glands. (Loring and Hartley: May-June)	521
Dog-Effects of prolonged experimental hypertension in the with a	
study of periodic renal biopsies over a seven-year period. (Dammin,	
Goldman, Schroeder, and Pace: May-June)	587
—Hemangiopericytoma in the (Mulligan: July-August)	773
——Hemophilic arthropathy in dogs. (Swanton and Brinkhous: May-	
June)	596*
—Pathophysiologic evaluation in dogs of two surgical procedures used	
in patients with occlusive coronary artery disease. (Maniglia and	
Bakst: May-June)	574
Duck-Atypical cirrhosis in the produced by methylcholanthrene.	
(Rigdon: May-June)	461
-Neurogenic tumors in the: an experimental study. (Rigdon:	
May-Iune)	583*
The pathology of infectious serositis of ducks. (Dougherty, Saunders,	
and Parsons: May-June)	475
Effect of audiogenic stimuli on wound healing in DBA/1 mice. (Spain,	
Molomut, and Riess: May-June)	607
Effect of feeding irradiated trichinella larvae on production of immunity	
to re-infection. (Gould, Gomberg, Bethell, Villella, and Hertz: May-	
June)	561
Effect of hyaluronidase antagonists on the reaction of the host to viral	
infection. (Pearce: May-June)	562
Effect of large doses of growth hormone on the pancreatic alpha cells in	
the rat. (Volk and Goldner: May-June)	569
Effects of massive whole body radiation in rats. (Koletsky: May-June) .	
Effects of prolonged experimental hypertension in the dog with a study	
of periodic renal biopsies over a seven-year period. (Dammin, Gold-	
man, Schroeder, and Pace: May-June)	587

Electrophoretic analysis of amyloid. (Wagner: May-June) Embolization of cerebral tissue to lungs following severe head injury.	573*
(McMillan: May-June)	579*
Encephalitis—Mumps: pathology and pathogenesis. (Donohue, Playfair, and Whitaker: May-June)	565*
Endocarditis—Bacterial produced by the tubercle bacillus. (Russell and Berthrong: May-June)	577*
——Susceptibility of endocardium of altitude rats to various bacteria. (Highman and Altland: May-June)	603*
Endometrial hyperplasia and carcinoma produced by estrogen. (Meissner and Sommers: May-June)	571*
Enzymes—Histochemical localization of certain oxidative during the production of infarcts of the rat kidney. (Peters and Farber: May-	
June) Histochemical localization of enzymatic activities in various portions	590*
of the mammalian nephron. (Wachstein and Meisel: May-June) —Improved method for the histochemical localization of oxidative	588*
in the kidney with tetrazolium. (Farber: May-June)	589*
	1165
Estrogen—Endometrial hyperplasia and carcinoma produced by (Meissner and Sommers: May-June)	571*
Ethionine-Coarse nodular cirrhosis produced by (Popper, Clear-	
kin, Kent, Parthasarathy, and Bruce: May-June)	594*
August) Experimental aspiration pneumonia: inflammatory and reparative	717
changes produced by intratracheal injections of autologous gastric juice and hydrochloric acid. (Morgan: May-June)	579*
Experimental atherosclerosis in the rat. (Bragdon and Mickelsen: September-October)	965
Experimental carcinogenesis of the skin in mice: dose-response relation- ships. (McTurk, Eckardt, Smith, and Cooper: May-June)	582*
Experimental cerebral mucormycosis in diabetic rabbits. (Bauer, Flanagan, and Sheldon: May-June)	600*
Experimental moniliasis in mice. (Adriano and Schwarz: September-October)	859
Eye-Pathogenesis of bovine ocular squamous cell carcinoma: histo-	-
pathologic and clinical studies. (Wynne and Russell: May-June)	584*
Factors influencing metachromasy in solutions. (Schoenberg and Orbison: May-June).	573*
Fat emboli in glomerular capillaries of choline-deficient rats and of patients with diabetic glomerulosclerosis. (Hartroft: May-June)	381
Fat embolism—Fat emboli in glomerular capillaries of choline-deficient rats and of patients with diabetic glomerulosclerosis. (Hartroft:	301
May-June)	381
Fibrinoid—Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. II. Two appropriately	399
spaced injections; the rôle of in the generalized Shwartzman reaction. (Brunson, Thomas, and Gamble: July-August)	655
Fibroadenoma—Increased spontaneous occurrence of fibroadenomas of	-33
the breast in the albino rat influenced by a high fat diet. (Benson, Lev, and Grand: May-June).	583*
Fibrocystic disease—The pathogenesis of of the pancreas. Study of the ducts by serial sections. (Allen and Baggenstoss: March-April) .	337
Fine structure of the renal glomerulus. Histochemical and electron microscopic observations. (Rinehart, Farquhar, and Gould: May-	331
June)	587*

INDEX OF SUBJECTS 1179 Focal myocytolysis of the heart. (Schlesinger and Reiner: May-June) . Further studies in quantitative cytopathology: optical measurements of the organic mass and the nucleoprotein mass of chromosomes in normal and neoplastic cells. (Mellors and Ortega: May-June) . . 443

Gamma rays—Pathology of swine exposed to total body gamma radiation from an atomic bomb source. (Tullis, Lamson, and Madden:	
January-February) Giant cells—Neonatal jaundice with giant cell transformation of the	41
hepatic parenchyma. (Smetana and Johnson: July-August) Glioblastoma—Sarcoma arising in of the brain. (Feigin and Gross:	747
July-August)	633
(Zimmerman: January-February)	1
charated iron oxide intravenously. (Ellis: May-June)	591*
diabetes mellitus. (Sommers: May-June)	570
June)	594°
Stella, Siegel, and Pressman: May-June, 592*; July-August)	687
Glomerulosclerosis—Fat emboli in glomerular capillaries of choline- deficient rats and of patients with diabetic (Hartroft: May-	602
June) Histopathology of experimental glomerular lesions simulating	381
human diabetic (Bloodworth and Hamwi: January-February) Glomerulus—Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the kidney.	167
(Howe and Parrish: May-June)	603
scopic observations. (Rinehart, Farquhar, and Gould: May-June). ——Ischemic glomeruli and their significance for glomerular structure.	587
(McManus: May-June) Goiter—Structural features of goiters in sporadic cretins. (Milles: November-December)	589
Granulomatous pneumonitis caused by short-fibered asbestos dust (chrysotile). (Gross, Westrick, and McNerney: May-June)	997 579
Growth hormone—Effect of large doses of on the pancreatic alpha cells in the rat. (Volk and Goldner: May-June)	569
Guinea-pig—Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Cruz: May-June)	573
Healed primary complex in histoplasmosis. (Straub and Schwarz: May- June)	599
Heart—Bacterial endocarditis produced by the tubercle bacillus. (Russell and Berthrong: May-June)	
——Basophilic degeneration of the myocardium. (Scotti: May-June). ——Coronary arteriosclerotic disease in the younger age group; its greater frequency among an increasingly older necropsy population.	577 606
(Saphir and Ohringer: May-June)	575
June) ——Pathologic and physiologic effects of hemorrhagic shock on the	443
(Hackel: May-June)	576

Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive coronary artery disease. (Maniglia and	
Bakst: May-June)	574*
Bloomer, Stern, and Liebow: May-June)	574*
valvoplasty. (Clark and Anderson: September-October)	809
duced myocardial necrosis. (Wachstein and Meisel: March-April). —Susceptibility of endocardium of altitude rats to various bacteria.	353
(Highman and Altland: May-June)	603*
Hemangiopericytoma in the dog. (Mulligan: July-August)	773
Hemophilic arthropathy in dogs. (Swanton and Brinkhous: May-June). Hemorrhagic fever—Pathology of A comparison of the findings	596*
- 1951 and 1952. (Steer: March-April)	201
Hepatitis—Congenital cirrhosis of the liver with kernicterus: report of	
two cases in siblings with a discussion of the relationship to so-called	
neonatal and to iso-immunization disease. (Ehrlich and Ratner:	
November-December) Hepatolenticular degeneration—Histochemical demonstration of copper in a case of (Green: May-June)	1013
Hepatorenal syndrome—Pathogenetic studies in the experimental	545
using micro-angiography in the agonal phase. (Crowson, More, and	
King: Max June)	***
King: May-June). Heterotopic ossification in intestinal neoplasms. (Van Patter and Whit-	593
tick: January-February)	73
High molecular weight acidic polymers—Morphologic changes in rabbits	
following the intravenous administration of meningococcal toxin.	
III. The effects produced by endotoxin in association with certain	
(Brunson, Davis, and Thomas: July-August)	669
Hilus cell tumors—Association of masculinizing ovarian, ovarian	
stromal hyperplasia, and lutein-like cell proliferation. (Sternberg:	
May-June)	571*
Histochemical demonstration of copper in a case of hepatolenticular de-	
generation. (Green: May-June)	545
Histochemical localization of certain oxidative enzymes during the pro-	
duction of infarcts of the rat kidney. (Peters and Farber: May-June)	590*
Histochemical localization of enzymatic activities in various portions of	-
the mammalian nephron. (Wachstein and Meisel: May-June)	588*
Histochemical observations on hyalinized islets of Langerhans in dia-	
betes mellitus. (Toreson and Rinehart: May-June)	569*
Histochemical studies on the activation of tissue alkaline phosphatase	
and 5-nucleotidase. (Freiman: May-June)	572*
Histogenesis of hepatic cirrhosis studied by the three-dimensional ap-	
proach. (Popper and Elias: May-June)	405
Histopathologic study of the small intestine of immature non-immunized	
mice infected with Trichinella spiralis. (Larsh, Jeffries, and Race:	
May-June)	561*
Histopathology of amino acid deficiencies. IV. Tryptophan. (Scott:	
November-December)	IIII
Histopathology of experimental glomerular lesions simulating human	
diabetic glomerulosclerosis. (Bloodworth and Hamwi: January-	
February)	167
Histoplasma capsulatum-Morphologic variation in tissue of the organ-	
isms of the blastomycoses and of histoplasmosis. (Moore: Novem-	
ber-December)	1049
Histoplasmosis-Cortisone in experimental (Vogel, Michael, and	-49
Timbe: May-Tune)	535
—Healed primary complex in (Straub and Schwarz: May-	333
June)	599*
	077

-Relation of splenic calcification to (Schwarz, Silverman,	nation and
Straub, Levine, and Adriano: May-June) Histoplasmosis of the central nervous system. (Shapiro, Lux, and Sprof-	606*
kin: March-April) (Smelana Hodgkin's disease—Mortality in relation to histology in (Smelana	319
and Cohen: May-June) . Horse—Susceptibility in vitro of adult tissue to equine abortion virus:	597°
	1165
May-June)	605*
viral infection. (Pearce: May-June)	562*
adrenal glands. (Cohen, Chapman, and Castleman: May-June) Hyperplasia—Intrathoracic angiomyomatous associated with chronic	570*
chylothorax. (Laipply and Sherrick: May-June) Hypersensitivity—Morphologic evidence of the hypersensitive patho-	599*
genesis of the lesions of experimental and the collagen diseases. (More and Movat: May-June)	562*
Hypertension—Effects of prolonged experimental in the dog with a study of periodic renal biopsies over a seven-year period. (Dammin,	117
Goldman, Schroeder, and Pace: May-June)	587*
Reduction of post-nephrectomy by homogenous renal trans- plant mediated by means other than desalting and dehydration.	-0-1
(Muirhead, Stirman, and Lesch: May-June) Rôle of pulmonary and thrombo-embolism in the production of	585*
pulmonary arteriosclerosis. (O'Neal and Thomas: May-June)	578* 568*
Hypophysis—Possible endocrine significance of hypophyseal tumors in man. (Russfield and Reiner: May-June)	572*
——Study of cell groups in the and their relation to granular cell myoblastomas. (Davis and Butt: May-June)	566*
Transplantation of the parakeet pituitary tumor. (Schlumberger: May-June).	583*
Hypothalamus—Pathologic effects of antimetabolites. I. Acute lesions in the, peripheral ganglia, and adrenal medulla caused by 3-	
acetyl pyridine and prevented by nicotinamide. (Hicks: January-February)	189
Immunization against Brucella infection. V. Histopathologic appraisal	
of immunity induced in mice by a streptomycin-dependent mutant of Brucella melitensis. (Elberg, Steiner, and Doll: November-	
December)	1065
Improved method for the histochemical localization of oxidative enzymes in the kidney with tetrazolium. (Farber: May-June)	589*
Increased spontaneous occurrence of fibroadenomas of the breast in the albino rat influenced by a high fat diet. (Benson, Lev, and Grand:	
May-June)	583*
Infants—Pathologic findings associated with unexpected death in and children. (Arey: May-June)	578*
Infarction—Succinic dehydrogenase activity in myocardial and in induced myocardial necrosis. (Wachstein and Meisel: March-April)	
Influence of cortisone on the development of the experimental silica	
granuloma in the rat. (Clark: May-June)	563*
adenomas initiated by a single in vitro exposure to ultraviolet ir-	
radiation. (Rogers: May-June)	582*
rhotic livers. (Hales, Allan, and Hall: May-June)	595*

Intestine-Heterotopic ossification in intestinal neoplasms. (Van Patter	
and Whittick: January-February)	73
May-Tune)	561*
Intimal repair of the aorta of the rabbit following experimental trauma.	
(Prior and Hutter: January-February)	107
thorax. (Laipply and Sherrick: May-June)	599*
Involvement of internal mammary lymph nodes in carcinoma of the breast: studies of the extended radical mastectomy. (Wyatt,	
Sugarbaker, and Stanton: January-February). Irradiation—Effect of feeding irradiated trichinella larvae on production of immunity to re-infection. (Gould, Gomberg, Bethell, Villella, and	143
Hertz: May-June) —Effects of massive whole body radiation in rats. (Koletsky: May-	561*
June)	568*
(Rogers: May-June)	582*
Cardle and Congdon: July-August). —Pathology of swine exposed to total body gamma radiation from an atomic bomb source. (Tullis, Lamson, and Madden: January-Febru-	725
ary). Ischemic glomeruli and their significance for glomerular structure. (Mc-	41
Manus: May-June)	589*
November-December)	1149
 Karyomegaly—Systemic Case report of a heretofore undescribed disease entity. (Moritz and Leuchtenberger: May-June) Kernicterus—Congenital cirrhosis of the liver with: report of two cases in siblings with a discussion of the relationship to so-called neonatal hepatitis and to iso-immunization disease. (Ehrlich and 	564*
Ratner: November-December). Kidney—Analytical pathology. II. Histopathologic demonstration of glomerular-localizing antibodies in experimental glomerulonephritis. (Mellors, Arias-Stella, Siegel, and Pressman: May-June, 592*;	1013
July-August)	687
 Application of thin sections to the study of glomerular changes in glomerulonephritis. (Grishman and Churg: May-June) Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in needle biopsy of the (Howe and 	602*
Parrish: May-June) Effects of prolonged experimental hypertension in the dog with a	603*
study of periodic renal biopsies over a seven-year period. (Dammin, Goldman, Schroeder, and Pace: May-June)	587*
 Fat emboli in glomerular capillaries of choline-deficient rats and of patients with diabetic glomerulosclerosis. (Hartroft: May-June) Fine structure of the renal glomerulus. Histochemical and electron 	381
microscopic observations. (Rinehart, Farquhar, and Gould: May- June)	587*
—Glomerular lesions and the nephrotic syndrome in rabbits given saccharated iron oxide intravenously. (Ellis: May-June) —Glomerulonephritis: a correlation of histopathology in needle bi-	591*
opsies of the with the clinical course. (Howe and Parrish: May-June)	594*
—Histochemical localization of certain oxidative enzymes during the production of infarcts of the rat (Peters and Farber: May-Iune)	590*
June)	200

June) Histopathology of experimental glomerular lesions simulating human diabetic glomerulosclerosis. (Bloodworth and Hamwi: January-February) Improved method for the histochemical localization of oxidative enzymes in the with tetrazolium. (Farber: May-June) Ischemic glomeruli and their significance for glomerular structure. (McManus: May-June) Local renal Shwartzman phenomenon. (Black-Schaffer and Garcia-Caceres: May-June) Nephrotic syndrome induced in rats by aminonucleoside. (Craig: May-June) New approaches to the study of renal disorders. (Oliver: May-June) Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens and Stumpf: March-April) Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and King: May-June). Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June). Renal diseases as studied by serial biopsy. (Pirani, Muehrcke, and Kark: May-June) Renal Shwartzman phenomenon in trichinosis. (Vesner: May-June) Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Crus: May-June). Symposium on new approaches to the study of renal disorders.		
Histopathology of experimental glomerular lesions simulating human diabetic glomerulosclerosis. Bloodworth and Hamwi: January-February) Improved method for the histochemical localization of oxidative enzymes in the with tetrazolium. (Farber: May-June)		
- Improved method for the histochemical localization of oxidative enzymes in the with tetrazolium. (Farber: May-June)	-Histopathology of experimental glomerular lesions simulating	588*
enzymes in the with tetrazolium. (Farber: May-June)	ary-February) —Improved method for the histochemical localization of oxidative	167
Local renal Shwartzman phenomenon. (Black-Schaffer and Garcia-Caceres: May-June)	enzymes in the with tetrazolium. (Farber: May-June)	589*
Caceress: May-June) Nephrotic syndrome induced in rats by aminonucleoside. (Craig: May-June). New approaches to the study of renal disorders. (Oliver: May-June) 592* New approaches to the study of renal disorders. (Oliver: May-June) 592* Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens and Stumpf: March-April) 275 Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and King: May-June). Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merill, Miller, and Thorn: May-June). Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Musirhead, Stirman, and Lesch: May-June). Renal diseases as studied by serial biopsy. (Pirani, Muehrcke, and Kark: May-June) Renal Shwartzman phenomenon in trichinosis. (Yesner: May-June) 594* Renal Shwartzman phenomenon in trichinosis. (Yesner: May-June) 592* Setum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Crus: May-June) 592* Symposium on new approaches to the study of renal disorders. (Oliver: May-June) 593* Symposium on new approaches to the study of renal disorders. (Oliver: May-June) 593* Kwashiorkor in a white American male. (Diamond: May-June) 596* Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December) 133* Leptospirosis—Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June) 596* Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freylag: March-April) 597 Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August) 597 Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous ((McManus: May-June)	589*
May-June). New approaches to the study of renal disorders. (Oliver: May-June) Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens and Stumpf: March-April). Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and King: May-June). Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June) (Muirhead, Stirman, and Lesch: May-June) Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Crus: May-June). Symposium on new approaches to the study of renal disorders. (Oliver: May-June). The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June). Leptosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December). Leptosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December). Leptospirosis—Lesions of skeletal muscle in. Review of reports and an experimental study. (Laurain: May-June). Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freylag: March-April). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604°; July-August). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604°; July-August). Lesions of the intrahepatic portal radicles in Manson's schisto	Caceres: May-June)	592*
New approaches to the study of renal disorders. (Oliver: May-June) Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens and Stumpf: March-April) Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and King: May-June) Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June) Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June) Renal diseases as studied by serial biopsy. (Pirani, Muehrcke, and Kark: May-June) Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). Symposium on new approaches to the study of renal disorders. (Oliver: May-June) Symposium on new approaches to the study of renal disorders. (Oliver: May-June) The role of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June) Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December) Leptospirosis—Lesions of skeletal muscle in. Review of reports and an experimental study. (Laurain: May-June) Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June) Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freylag: March-April) Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichlenberg: May-June, 604*; July-August) Lesions of the intrahepatic portal radicles in Manson's machanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freylag: March-April) Human lung in		
- Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens and Stumpf: March-April) - Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and King: May-June). - Prolonged functional survival of a renal homotransplant in manimorphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). - Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June). - Renal diseases as studied by serial . biopsy. (Pirani, Muehrcke, and Kark: May-June) - Renal Shwartzman phenomenon in trichinosis. (Vesner: May-June) - Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April) . 233 - Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Cruz: May-June) . 573 - Symposium on new approaches to the study of renal disorders. (Oliver: May-June) . 573 - Wasshiorkor in a white American male. (Diamond: May-June) . 585 - Leptospirosis—Lesions of skeletal muscle in fifty consecutive necropsies. (Powell and Swan: November-December) . 1131 - Leptospirosis—Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June) . 501 - Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitl, and Freytag: March-April) . 501 - Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August) . 501 - Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April) . 502 - Human lung in observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old,		
Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and King: May-June). Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June). Renal diseases as studied by serial . biopsy. (Pirani, Muehrcke, and Kark: May-June) Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). Symposium on new approaches to the study of renal disorders. (Oliver: May-June). The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June). Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December). Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (Laurain: May-June). Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June). Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April)	Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens	•
ing micro-angiography in the agonal phase. (Crowson, More, and King: May-June). —Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). —Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June). —Renal diseases as studied by serial biopsy. (Pirani, Muehrcke, and Kark: May-June) —Renal Shwartzman phenomenon in trichinosis. (Yesner: May-June) —Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). —Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Crus: May-June). —Symposium on new approaches to the study of renal disorders. (Oliver: May-June). —The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June). Leptospirosis—Lesions of skeletal muscle in. Review of reports and an experimental study. (Laurain: May-June). Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June). Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg: May-June, 604*; July-August). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April). —Pattern of organ infiltrate in acute of children. (Cochran and	and Stumpj: March-April)	275
—Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). —Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June). —Renal diseases as studied by serial biopsy. (Pirani, Muehrcke, and Kark: May-June) —Renal Shwartzman phenomenon in trichinosis. (Vesner: May-June) —Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). —Symposium on new approaches to the study of renal disorders. (Oliver: May-June). —The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June). Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December). Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (Laurain: May-June). Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Levitt, and Freylag: March-April). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelog-enous (Harris, Shay, and Gruenstein: March-April). —Human lung in observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June). —Pattern of organ infiltrate in acute of children. (Cochran and	ing micro-angiography in the agonal phase. (Crowson, More, and	
Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June)	—Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume,	
transplant mediated by means other than desalting and dehydration. (Muirhead, Stirman, and Lesch: May-June)		586*
Renal diseases as studied by serial biopsy. (Pirani, Muehrcke, and Kark: May-June)	transplant mediated by means other than desalting and dehydra-	
- Renal Shwartzman phenomenon in trichinosis. (**Yesner: May-June*) - Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (**Thal: March-April*) Serum elpherograms in experimental nephropathies of guinea-pigs. (**Pollak and Cruz: May-June*) Symposium on new approaches to the study of renal disorders. (**Oliver: May-June*) The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (**Lalich: January-February*) Kwashiorkor in a white American male. (**Diamond: May-June*) Symposium on new approaches to the study of renal disorders. (**Oliver: May-June*) Symposium on new approaches to the study of renal disorders. (**Oliver: May-June*) Symposium on new approaches to the study of renal disorders. (**Oliver: May-June*) Symposium on new approaches to the study of renal disorders. (**Oliver: May-June*) Symposium on new approaches to the study of renal disorders. (**Lalich: January-February*) - Kwashiorkor in a white American male. (**Diamond: May-June*) Symposium on new approaches to the study of renal disorders. (**Powell and Swan: November-Decembers. (**Lalich: January-February*) - Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (**Laurain: May-June*) Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (**Laurain: May-June*) Symposium on new approaches to the study of renal disorders. (**Soit Sait Sait Sait Sait Sait Sait Sait Sa		585
— Renal Shwartzman phenomenon in trichinosis. (**Pesner: May-June*) — Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (**Thal: March-April*). 233 — Serum elpherograms in experimental nephropathies of guinea-pigs. (**Pollak and Cruz: May-June*)		
Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the pathogenesis of bilateral cortical necrosis. (Thal: March-April). Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Cruz: May-June)		594
Serum elpherograms in experimental nephropathies of guinea-pigs. (Pollak and Cruz: May-June) Symposium on new approaches to the study of renal disorders. (Oliver: May-June) The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June) Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December) Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (Laurain: May-June) Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June) Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August) Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April) Human lung in: observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June). Pattern of organ infiltrate in acute of children. (Cochran and	—Selective renal vasospasm and ischemic renal necrosis produced experimentally with staphylococcal toxin. Observations on the	592*
Symposium on new approaches to the study of renal disorders. (Oliver: May-June) The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June) Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December) Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (Laurain: May-June) Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June) Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August) Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August) Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April) Human lung in : observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June) Pattern of organ infiltrate in acute of children. (Cochran and	pathogenesis of bilateral cortical necrosis. (<i>Thal:</i> March-April). —Serum elpherograms in experimental nephropathies of guinea-pigs.	233
The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June)		573
The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February) Kwashiorkor in a white American male. (Diamond: May-June)	(Oliver: May-June)	585*
Kwashiorkor in a white American male. (Diamond: May-June)	—The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-	3-3
Leprosy: pathologic changes observed in fifty consecutive necropsies. (Powell and Swan: November-December)		153
(Powell and Swan: November-December) Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (Laurain: May-June)		596*
Leptospirosis—Lesions of skeletal muscle in Review of reports and an experimental study. (Laurain: May-June)		
Lesions of skeletal muscle in leptospirosis. Review of reports and an experimental study. (Laurain: May-June)	Leptospirosis—Lesions of skeletal muscle in Review of reports and	
Lesions of the corpus callosum following blunt mechanical trauma to the head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April)	Lesions of skeletal muscle in leptospirosis. Review of reports and an	501
head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April) Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August) Leukemia—A case of leukemic reticulo-endeliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April) —Human lung in : observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June). —Pattern of organ infiltrate in acute of children. (Cochran and		501
Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April). —Human lung in: observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June). —Pattern of organ infiltrate in acute of children. (Cochran and		
Lesions of the intrahepatic portal radicles in Manson's schistosomiasis. (Lichtenberg: May-June, 604*; July-August). Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelogenous (Harris, Shay, and Gruenstein: March-April). —Human lung in: observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June). —Pattern of organ infiltrate in acute of children. (Cochran and	April)	207
Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelog-enous (Harris, Shay, and Gruenstein: March-April)		-,.
Leukemia—A case of leukemic reticulo-endotheliosis in the rat. The relationship between this entity and Naegeli's monocytic myelog-enous (Harris, Shay, and Gruenstein: March-April)		757
relationship between this entity and Naegeli's monocytic myelog- enous (Harris, Shay, and Gruenstein: March-April)		131
— Human lung in: observations on alveolar capillary leukostasis with reference to pathologic physiology. (Old, Smith, and Grampa: May-June). — Pattern of organ infiltrate in acute of children. (Cochran and	relationship between this entity and Naegeli's monocytic myelog-	
with reference to pathologic physiology. (Old, Smith, and Grampa: May-June)	enous (Harris, Shay, and Gruenstein: March-April)	367
May-June)		
-Pattern of organ infiltrate in acute of children. (Cochran and		605*
77 . 37 7 3		-

—Resistance to quadruple combination chemotherapy in L1210 in mice. (Nadel and Hilgar: May-June)	605*
this entity and Naegeli's monocytic myelogenous leukemia. (Harris, Shay, and Gruenstein: March-April)	367
Liver—Atypical cirrhosis in the duck produced by methylcholanthrene.	
(Rigdon: May-June)	461
Kent, Parthasarathy, and Bruce: May-June)	594*
——Congenital cirrhosis of the with kernicterus: report of two cases in siblings with a discussion of the relationship to so-called neonatal	
hepatitis and to iso-immunization disease. (Ehrlich and Ratner:	
November-December)	1013
approach. (Popper and Elias: May-June)	405
- Injection corrosion studies of the vascular systems of normal and	
cirrhotic livers. (Hales, Allan, and Hall: May-June)	595*
miasis. (Lichtenberg: May-June, 604*; July-August)	757
—Mitochondrial changes in hepatic cells of x-irradiated mice. (Mac-	
Cardle and Congdon: July-August)	725
parenchyma. (Smetana and Johnson: July-August)	747
Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in the agonal phase. (Crowson, More, and	
King: May-June)	593*
Three-dimensional analysis of hepatocellular carcinoma. (Elias	***
and Popper: May-June)	596*
Caceres: May-June)	592*
LS tumor, a reticulum cell sarcoma of C57BL/6 mice. (Hathaway and Dowling: May-June)	583*
Lung—Cell types and histologic patterns in carcinoma of the: ob-	203
servations on the significance of tumors containing more than one	
type of cell. (Olcott: November-December)	975
disseminated pulmonary tuberculosis. (Berthrong and Ganem: May-	
June)	601*
Embolization of cerebral tissue to lungs following severe head injury.	
(McMillan: May-June)	579*
changes produced by intratracheal injections of autologous gastric	
juice and hydrochloric acid. (Moran: May-June)	579*
Granulomatous pneumonitis caused by short-fibered asbestos dust	***
(chrysotile). (Gross, Westrick, and McNerney: May-June) —Human in leukemia: observations on alveolar capillary leuko-	579*
stasis with reference to pathologic physiology. (Old, Smith, and	
Grampa: May-June)	605*
—Influence of the intensity of exposure upon the number of pulmonary adenomas initiated by a single in vitro exposure to ultraviolet ir-	
radiation. (Rogers: May-June)	582*
-Periarteritis nodosa limited to the pulmonary circulation. (Braun-	
stein: September-October)	837
——Pulmonary mucormycosis. (Baker and Wynn: May-June)	599*
duction of pulmonary arteriosclerosis. (O'Neal and Thomas: May-	
June)	578*
— Uremic pneumonitis. (Hopps and Wissler: March-April)	261

Luxol fast blue myelin stain—New applications of the I. A myelo-angio-cyto-architectonic method. II. A myelin-neuroglia method. III. A myelin-fat method. IV. A "myelin"-axis cylinder method.	
(Margolis and Pickett: May-June)	565*
Sugarbaker, and Stanton: January-February)	143
and Collier: May-June)	597*
Mechanism of unexpected (so-called spontaneous) rupture of the spleen in malignant lymphoma. (Custer, Gunter, Warren, and Collier: May-	
June) Melanoma—Pigment production and biologic behavior in 380 cases of malignant (Russell, Guraieb, Wiltberger, and Clark: May-	597*
June)	585*
Meningococcal toxin—Morphologic changes in rabbits following the intravenous administration of I. The effects produced in young and in mature animals by a single injection. (Brunson, Gamble, and	
Thomas: May-June)	489
istration of II. Two appropriately spaced injections; the rôle of fibrinoid in the generalized Shwartzman reaction. (Brunson,	
Thomas, and Gamble: July-August) Morphologic changes in rabbits following the intravenous administration of III. The effects produced by endotoxin in as-	655
sociation with certain high molecular weight acidic polymers. (Brunson, Davis, and Thomas: July-August)	660
Metachromasia—Factors influencing metachromasy in solutions.	
(Schoenberg and Orbison: May-June)	573
(Rigdon: May-June)	461
relationships. (McTurk, Eckardt, Smith, and Cooper: May-June). Mitochondrial changes in hepatic cells of x-irradiated mice. (Mac-	582*
Cardle and Congdon: July-August) . Moniliasis—Experimental in mice. (Adriano and Schwarz: Septem-	725
ber-October)	859
Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. I. The effects produced in young and in mature animals by a single injection. (Brunson, Gamble, and	
Thomas: May-June)	489
generalized Shwartzman reaction. (Brunson, Thomas, and Gamble:	
July-August) III. The effects produced by endotoxin in association with certain	655
high molecular weight acidic polymers. (Brunson, Davis, and Thomas: July-August)	669
Morphologic evidence of the hypersensitive pathogenesis of the lesions of experimental hypersensitivity and the collagen diseases. (More	
and Movat: May-June)	562*
of the disease. (Aronson, Volk, and Epstein: July-August)	609
Morphologic variation in tissue of the organisms of the blastomycoses	***
and of histoplasmosis. (Moore: November-December)	1049
Cohen: May-June)	597°
pol: May-June)	601

 Experimental carcinogenesis of the skin in mice: dose-response relationships. (McTurk, Eckardt, Smith, and Cooper: May-June) Experimental moniliasis in mice. (Adriano and Schwarz: September- 	582*
October)	859
immunized mice infected with Trichinella spiralis. (Larsh, Jeffries, and Race: May-June) ——Immunization against Brucella infection. V. Histopathologic appraisal of immunity induced in mice by a streptomycin-dependent mutant of Brucella melitensis. (Elberg, Steiner, and Doll: Novem-	561*
ber-December)	1065
and Dowling: May-June)	583*
Cardle and Congdon: July-August)	725
 Resistance to quadruple combination chemotherapy in leukemia L1210 in mice. (Nadel and Hilgar: May-June) Studies on rickettsial toxins. III. Histochemical survey of selected 	605*
tissue enzymes in mice receiving murine typhus toxin. (Wattenberg: September-October)	875
Mucormycosis-Experimental cerebral in diabetic rabbits. (Bauer,	
Flanagan, and Sheldon: May-June)	600
—Pulmonary (Baker and Wynn: May-June)	599*
April)	337
and Whitaker: May-June)	565*
Murine typhus—Studies on rickettsial toxins. III. Histochemical survey of selected tissue enzymes in mice receiving toxin. (Wattenberg:	
September-October)	875
an experimental study. (Laurain: May-June)	501
twelve cases. (Parkhurst and Decker: September-October)	821
Myelin—New applications of the luxol fast bluestain. I. A myelo- angio-cyto-architectonic method. II. Aneuroglia method. III. Afat method. IV. A ""-axis cylinder method. (Margolis	
and Pickett: May-June)	
gel technique. (Rice: May-June)	
to granular cell myoblastomas. (Davis and Butt: May-June) Myocardium—Basophilic degeneration of the (Scotti: May-June)	
Myocytolysis—Focal of the heart. (Schlesinger and Reiner: May- June)	443
Nature of gliomas as revealed by animal experimentation. (Zimmerman:	
January-February) Necrosis—Adrenal and thrombosis in routine necropsies. (Plaut:	1
January-February) Needle biopsy—Correlation of glomerular filtration rate with histopathologic changes in glomeruli as seen in of the kidney. (Howe	
and Parrish: May-June)	603*
—Glomerulonephritis: a correlation of histopathology in needle biopsies of the kidney with the clinical course. (Howe and Parrish:	
May-June).	594*
and Kark: May-June)	594°
Neonatal jaundice with giant cell transformation of the hepatic paren- chyma. (Smetana and Johnson: Iuly-August)	
chyma. (Smelana and Johnson: July-August)	747

Neoplasia-See also specific neoplasms by name and anatomical sites.	
——Association of masculinizing ovarian hilus cell tumors, ovarian stromal hyperplasia, and lutein-like cell proliferation. (Sternberg:	
May-June)	571*
(Farber: May-June)	582*
relationships. (McTurk, Eckardt, Smith, and Cooper: May-June). —Further studies in quantitative cytopathology: optical measurements of the organic mass and the nucleoprotein mass of chromosomes in normal and neoplastic cells. (Mellors and Ortega: May-	582*
June) Heterotopic ossification in intestinal neoplasms. (Van Patter and Whittick: January-February)	604*
—Possible endocrine significance of hypophyseal tumors in man. (Russfield and Reiner: May-June)	73 572*
Neoplasm—Neurogenic tumors in the duck: an experimental study. (Rigdon: May-June).	583*
—Qualitative analyses of antigens of myeloma serums with the agargel technique. (Rice: May-June)	574*
——Thymoma: a review and reclassification. (Iverson: May-June). —Transplantation of the parakeet pituitary tumor. (Schlumberger: May-June).	598* 583*
Nephrectomy—Reduction of post hypertension by homogenous renal transplant mediated by means other than desalting and dehy-	
dration. (Muirhead, Stirman, and Lesch: May-June) Nephrosis—The rôle of oxyhemoglobin and its derivatives in the pathogenesis of experimental hemoglobinuric (Lalich: January-	585*
February) Nephrotic syndrome induced in rats by aminonucleoside. (Craig: May-June)	153
Neurogenic tumors in the duck: an experimental study. (Rigdon: May- June)	591*
New applications of the luxol fast blue myelin stain. I. A myelo-angio- cyto-architectonic method. II. A myelin-neuroglia method. III. A myelin-fat method. IV. A "myelin"-axis cylinder method.	
(Margolis and Pickett: May-June)	592
September-October)	883
February) Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens	189
and Stumpf: March-April) 5-Nucleotidase—Histochemical studies on the activation of tissue alkaline phosphatase and (Freiman: May-June)	275 572*
Ossification-Heterotopic in intestinal neoplasms. (Van Patter and	
Whittick: January-February) Ovary—Association of masculinizing ovarian hilus cell tumors, ovarian stromal hyperplasia, and lutein-like cell proliferation. (Sternberg:	73
May-June). Oxyhemoglobin—The rôle of and its derivatives in the pathogenesis of experimental hemoglobinuric nephrosis. (Lalich: January-February)	571*
February)	153
M	1149

Effect of large doses of growth hormone on the pancreatic alpha cells in the rat. (Volk and Goldner: May-June)	569*
—Histochemical observations on hyalinized islets of Langerhans in	209
diabetes mellitus. (Toreson and Rinehart: May-June)	569*
-Pancreatic lesions and peripancreatic fat necrosis in cortisone-	
treated rabbits. (Stumpf and Wilens: May-June)	563*
The destructive effects of DL-ethionine on the, stomach, and submaxillary glands. (Loring and Hartley: May-June)	521
—The pathogenesis of fibrocystic disease of the Study of the	3-1
ducts by serial sections. (Allen and Baggenstoss: March-April)	337
Pancreatic fat necrosis—Pancreatic lesions and peri in cortisone-	-6-8
treated rabbits. (Stumpf and Wilens: May-June) Pancreatic lesions and peripancreatic fat necrosis in cortisone-treated	563*
rabbits. (Stumpf and Wilens: May-June)	563*
Parakeet-Transplantation of the pituitary tumor. (Schlumberger:	-
May-June)	583*
Pathogenesis of bovine ocular squamous cell carcinoma: histopathologic	-0.8
and clinical studies. (Wynne and Russell: May-June)	584*
	568*
Hunter, Hunter, and Roman: May-June) Pathogenesis of fibrocystic disease of the pancreas. Study of the ducts	3
by serial sections. (Allen and Baggenstoss: March-April)	337
Pathogenetic studies in the experimental hepatorenal syndrome using	
micro-angiography in the agonal phase. (Crowson, More, and King: May-June).	F02*
Pathologic and physiologic effects of hemorrhagic shock on the heart.	593*
(Hackel: May-June)	576*
Pathologic effects of antimetabolites. I. Acute lesions in the hypo-	
thalamus, peripheral ganglia, and adrenal medulla caused by 3-	
acetyl pyridine and prevented by nicotinamide. (Hicks: January-February)	180
Pathologic findings associated with unexpected death in infants and	
children. (Arey: May-June)	578*
Pathology of hemorrhagic fever. A comparison of the findings — 1951	
and 1952. (Steer: March-April)	201
Parsons: May-June)	475
Pathology of poliomyelitis in the chick embryo. (Love and Roca-Garcia:	110
September-October)	901
Pathology of swine exposed to total body gamma radiation from an	
atomic bomb source. (Tullis, Lamson, and Madden: January-February)	41
Pathophysiologic evaluation in dogs of two surgical procedures used in	4-
patients with occlusive coronary artery disease. (Maniglia and	
Bakst: May-June)	574*
Pattern of organ infiltrate in acute leukemia of children. (Cochran and Haut: May-June).	597
Periarteritis nodosa limited to the pulmonary circulation. (Braunstein:	597
September-October)	837
Phosphatase—Histochemical studies on the activation of tissue alkaline	
and 5-nucleotidase. (Freiman: May-June)	572
Pigment production and biologic behavior in 380 cases of malignant	-0-8
melanoma. (Russell, Guraieb, Wiltberger, and Clark: May-June) . Pituitary body—See hypophysis.	585*
Pneumonia—Experimental aspiration: inflammatory and repar-	
ative changes produced by intratracheal injections of autologous	
gastric juice and hydrochloric acid. (Moran: May-June)	579*
Pneumonitis—Granulomatous caused by short-fibered asbestos dust	319
(chrysotile). (Gross, Westrick, and McNerney: May-June)	579°
Uremic (Hopps and Wissler: March-April)	

Poliomyelitis-Pathology of in the chick embryo. (Love and Roca-	
Garcia: September-October). Possible endocrine significance of hypophyseal tumors in man. (Russ-	901
field and Reiner: May-June) Potassium—Sodium and content of rabbit plasma and erythrocytes	572*
in relation to age and to blood pressure. (Waugh and Stuart: May- June)	575*
ologists. Prolonged functional survival of a renal homotransplant in man: morphologic observations with clinical correlation. (Dammin, Hume, Merrill, Miller, and Thorn: May-June). Pseudolymphocytic choriomeningitis—The viral range in vitro of a malignant human epithelial cell (strain HeLa, Gey). III. Studies with virus; general discussion. (Scherer and Syverton: January-	586*
February) Pulmonary mucormycosis. (Baker and Wynn: May-June) Puromycin—Carcinolytic action of antibiotics: and actinomycin D.	599*
(Farber: May-June)	582*
technique. (Rice: May-June)	574*
Rabbit—Cytology of islet cells in alloxan diabetic rabbits. (Bencosme: November-December)	1140
Experimental cerebral mucormycosis in diabetic rabbits. (Bauer, Flanagan, and Sheldon: May-June)	600
—Glomerular lesions and the nephrotic syndrome in rabbits given saccharated iron oxide intravenously. (Ellis: May-June)	
——Intimal repair of the aorta of the following experimental trauma. (Prior and Hutter: January-February)	591*
—Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. I. The effects produced in young and in mature animals by a single injection. (Brunson, Gamble, and	107
Thomas: May-June)	489
action. (Brunson, Thomas, and Gamble: July-August) Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. III. The effects produced by endotoxin in association with certain high molecular weight acidic	655
polymers. (Brunson, Davis, and Thomas: July-August) Nodular and fatty glomerular lesions in rabbits on cortisone. (Wilens	669
and Stumpf: March-April)	275
treated rabbits. (Stumpf and Wilens: May-June) Sodium and potassium content of plasma and erythrocytes in relation to age and to blood pressure. (Waugh and Stuart: May-	563*
June) Rat—A case of leukemic reticulo-endotheliosis in the The relationship between this entity and Naegeli's monocytic myelogenous	575°
leukemia. (Harris, Shay, and Gruenstein: March-April)	367
 Effect of large doses of growth hormone on the pancreatic alpha cells in the (Volk and Goldner: May-June) Effects of massive whole body radiation in rats. (Koletsky: May- 	569°
June)	568*
September-October) —Fat emboli in glomerular capillaries of choline-deficient rats and of	965
patients with diabetic glomerulosclerosis. (Hartroft: May-June) .	381

——Histochemical localization of certain oxidative enzymes during the production of infarcts of the kidney. (Peters and Farber: May-	
June) Increased spontaneous occurrence of fibroadenomas of the breast in the albino influenced by a high fat diet. (Benson, Lev, and Grand:	590*
May-June)	583*
granuloma in the (Clark: May-June)	563*
May-June). —Susceptibility of endocardium of altitude rats to various bacteria.	591*
(Highman and Altland: May-June) Reduction of post-nephrectomy hypertension by homogenous renal transplant mediated by means other than desalting and dehydration.	603*
(Muirhead, Stirman, and Lesch: May-June). Relapsing fever in Korea: a clinicopathologic study of eleven fatal cases with special attention to association with Salmonella infections.	585*
(Anderson and Zimmerman: November-December)	1083
Relation of splenic calcification to histoplasmosis. (Schwarz, Silverman, Straub, Levine, and Adriano: May-June)	606*
Renal diseases as studied by serial kidney biopsy. (Pirani, Muchrcke,	
and Kark: May-June)	594
Renal Shwartzman phenomenon in trichinosis. (Yesner: May-June) . Resistance to quadruple combination chemotherapy in leukemia L1210	592*
in mice. (Nadel and Hilgar: May-June) Reticulo-endotheliosis—A case of leukemicin the rat. The relationship between this entity and Naegeli's monocytic myelogenous	605*
leukemia. (Harris, Shay, and Gruenstein: March-April)	367
Stern, and Liebow: May-June)	574*
Rheumatic activity in auricular appendages removed at mitral valvo- plasty. (Clark and Anderson: September-October)	809
Rheumatic carditis—Clinical significance of the Aschoff body based on morphologic and histochemical observations. (Tedeschi, Wagner,	
and Pani: May-June) Rickettsia—Studies on rickettsial toxins. III. Histochemical survey of selected tissue enzymes in mice receiving murine typhus toxin.	576*
(Wattenberg: September-October)	875
mental hemoglobinuric nephrosis. (Lalich: January-February) Rôle of pulmonary hypertension and thrombo-embolism in the production of pulmonary arteriosclerosis. (O'Neal and Thomas: May-	153
June)	578
Saccharated iron oxide—Glomerular lesions and the nephrotic syndrome in rabbits given intravenously. (Ellis: May-June)	591
Salmonella—Relapsing fever in Korea: a clinicopathologic study of eleven fatal cases with special attention to association with in-	
fections. (Anderson and Zimmerman: November-December) Sarcoma—LS tumor, a reticulum cell of C57BL/6 mice. (Hathaway and Dowling: May-June)	583
Sarcoma arising in glioblastoma of the brain. (Feigin and Gross: July-August)	633
Schistosomiasis—Lesions of the intrahepatic portal radicles in Manson's (Lichtenberg: May-June, 604*; July-August)	757
Schultz-Dale test—Detection of soluble carcinoma antigen by use of the (Makari: May-June)	
Selective renal vasospasm and ischemic renal necrosis produced experi- mentally with staphylococcal toxin. Observations on the patho-	
genesis of bilateral cortical necrosis. (Thal: March-April)	233

Serositis-The pathology of infectious of ducks. (Dougherty,	
Saunders, and Parsons: May-June)	475
Serum elpherograms in experimental nephropathies of guinea-pigs.	
(Pollak and Cruz: May-June)	573°
heart. (Hackel: May-June)	576*
Shwartzman phenomenon-Local renal , (Black-Schaffer and	31-
Garcia-Caceres: May-June)	592*
istration of meningococcal toxin. II. Two appropriately spaced in-	
jections; the rôle of fibrinoid in the generalized Shwartzman reaction. (Brunson, Thomas, and Gamble: July-August)	655
-Renalin trichinosis. (Yesner: May-June)	592*
Signet-ring cell carcinoma of the urinary bladder. (Saphir: March-April)	223
Silicosis—Influence of cortisone on the development of the experimental	
silica granuloma in the rat. (Clark: May-June)	563*
Skin-On the pathogenesis of death due to burning of the (Rosenthal, Finamore, Hunter, Hunter, and Roman: May-June)	568*
Sodium and potassium content of rabbit plasma and erythrocytes in re-	300
lation to age and to blood pressure. (Waugh and Stuart: May-June)	575*
Sound-Effect of audiogenic stimuli on wound healing in DBA/1 mice.	
(Spain, Molomut, and Riess: May-June)	607*
Spleen—On the mechanism of unexpected (so-called spontaneous) rup-	
ture of the in malignant lymphoma. (Custer, Gunter, Warren, and Collier: May-June)	F0#
-Relation of splenic calcification to histoplasmosis. (Schwarz, Silver-	597*
man, Straub, Levine, and Adriano: May-June)	606*
Squamous epithelium-Comparison of histochemical properties of	
normal and neoplastic (Foraker: May-June)	581*
Staphylococcal toxin—Selective renal vasospasm and ischemic renal necrosis produced experimentally with Observations on the	
pathogenesis of bilateral cortical necrosis. (Thal: March-April).	233
Stomach—The destructive effects of DL-ethionine on the pancreas,,	-33
and submaxillary glands. (Loring and Hartley: May-June)	521
Strain of metastatic epithelial cells derived from long-term tissue cul-	
ture of human bone marrow. (Berman, Stulberg, and Ruddle: May-	580°
June) Structural features of goiters in sporadic cretins. (Milles: November-	500
December)	997
Studies on hypervitaminosis D. (Follis: May-June)	568*
Studies on rickettsial toxins. III. Histochemical survey of selected tissue	
enzymes in mice receiving murine typhus toxin. (Wattenberg:	0
September-October) . Studies on Trichinella spiralis. I to V. (Gould, Gomberg, Bethell, Vil-	875
lella, and Heriz: September-October)	933
Study of cell groups in the hypophysis and their relation to granular cell	700
myoblastomas. (Davis and Butt: May-June)	566*
Submaxillary glands-The destructive effects of DL-ethionine on the	
pancreas, stomach, and (Loring and Hartley: May-June) . Succinic dehydrogenase activity in myocardial infarction and in induced	521
myocardial necrosis. (Wachstein and Meisel: March-April)	353
Susceptibility in vitro of adult horse tissue to equine abortion virus:	000
previously undescribed lesions. (Randall: November-December) .	1165
Susceptibility of endocardium of altitude rats to various bacteria.	
(Highman and Altland: May-June)	603*
Swine—Pathology of exposed to total body gamma radiation from an	
atomic bomb source. (Tullis, Lamson, and Madden: January-	
February)	41
Symposium on new approaches to the study of renal disorders. (Oliver:	-0.4
May-Iune)	585*

Systemic effects of carbon particles coated with antigen. (Garcia-	£*
Caceres and Black-Schaffer: May-June)	601*
entity. (Moritz and Leuchtenberger: May-June)	564*
Thermal injury—On the pathogenesis of death due to burning of the skin. (Rosenthal, Finamore, Hunter, Hunter, and Roman: May-June). Three-dimensional analysis of hepatocellular carcinoma. (Elias and	568*
Popper: May-June)	596*
Thymoma: a review and reclassification. (Iverson: May-June) Thyroid gland—Structural features of goiters in sporadic cretins. (Milles: November-December)	93 598*
Tissue culture of human breast carcinoma. (Orr and McSwain: January-	997
February) Toxin—Studies on rickettsial toxins. III. Histochemical survey of selected tissue enzymes in mice receiving murine typhus	125
(Wattenberg: September-October)	875
(Dammin, Hume, Merrill, Miller, and Thorn: May-June)	586*
transplant mediated by means other than desalting and dehy- dration. (Muirhead, Stirman, and Lesch: May-June)	585*
Transplantation of the parakeet pituitary tumor. (Schlumberger: May-June)	583*
Trauma—Intimal repair of the aorta of the rabbit following experimental (Prior and Hutter: January-February) —Lesions of the corpus callosum following blunt mechanical to the	107
head. (Lindenberg, Fisher, Durlacher, Lovitt, and Freytag: March-April)	297
production of immunity to re-infection. (Gould, Gomberg, Bethell, Villella, and Hertz: May-June)	561*
immunized mice infected with (Larsh, Jeffries, and Race:	561*
May-June)	501
Hertz: September-October)	933
June)	592*
(Scott: November-December)	IIII
and Berthrong: May-June)	577*
May-June)	601*
Ultraviolet absorption—Glomerular ultraviolet absorptions after corti- sone therapy, simulating diabetes mellitus. (Sommers: May-June). Unexpected death—Pathologic findings associated with in infants	570*
and children. (Arey: May-June)	578*
Uremic pneumonitis. (Hopps and Wissler: March-April)	261
March-April)	223
(Marcial-Rojas and Meigs: November-December)	1077

INDEX OF SUBJECTS

1193

Viral range in vitro of a malignant human epithelial cell (strain He Gey). III. Studies with pseudolymphocytic choriomeningitis vir general discussion. (Scherer and Syverton: January-February). Virus—Effect of hyaluronidase antagonists on the reaction of the host viral infection. (Pearce: May-June). —Newcastle disease in cultures of chick embryo tissues: multiplication, titration, and cytopathogenicity. (Mason Kaufman: September-October). —Pathology of poliomyelitis in the chick embryo. (Love and ReGarcia: September-October). —Susceptibility in vitro of adult horse tissue to equine abortion. previously undescribed lesions. (Randall: November-December) —The viral range in vitro of a malignant human epithelial cell (str HeLa, Gey). III. Studies with pseudolymphocytic choriomening; general discussion. (Scherer and Syverton: January-February).	rus; . 31 t to . 562* its and . 883 oca 901 . 1165 rain gitis	
Vitamin D-Studies on hypervitaminosis D. (Follis: May-June)	. 568°	
Wilson's disease—Histochemical demonstration of copper in a case hepatolenticular degeneration. (Green: May-June)	e of . 545	
Wound healing-Effect of audiogenic stimuli on in DBA/1 m	ice.	
(Spain, Molomut, and Riess: May-June)	. 607	ı



INDEX OF AUTHORS

Adriano, S. See Schwarz, Silverman, Straub, Levine, and Adriano (May-	
June)	606*
, and Schwarz, J. Experimental moniliasis in mice. (September-	
October)	859
Allan, J. S. See Hales, Allan, and Hall (May-June)	595*
(March-April)	337
Altland, P. D. See Highman and Altland (May-June)	
association with Salmonella infections. (November-December)	1083
Anderson, W. See Clark and Anderson (September-October)	809 601
Arey, J. B. Pathologic findings associated with unexpected death in in-	001
fants and children. (May-June) Arias-Stella, J. See Mellors, Arias-Stella, Siegel, and Pressman (July-	578*
August)	687
Aronson, S. M.; Volk, B. W., and Epstein, N. Morphologic evolution of amaurotic family idiocy: the protracted phase of the disease. (July-	
August)	609
Baggenstoss, A. H. See Allen and Baggenstoss (March-April)	337
Baker, R. D., and Wynn, J. O. Pulmonary mucormycosis. (May-June).	599*
Bakst, A. A. See Maniglia and Bakst (May-June)	574*
mucormycosis in diabetic rabbits. (May-June)	600*
(November-December)	1149
Benson, J.; Lev, M., and Grand, C. G. Increased spontaneous occurrence of fibroadenomas of the breast in the albino rat influenced by a high	-0-0
fat diet. (May-June) Berman, L.; Stulberg, C. S., and Ruddle, F. A strain of metastatic	583*
epithelial cells derived from long-term tissue culture of human bone marrow. (May-June).	580*
Berthrong, M. See Russell and Berthrong (May-June)	577*
, and Ganem, G. Cystic disease of the lungs: a consequence of the	3//
healing of acute disseminated pulmonary tuberculosis. (May-June) Bethell, F. H. See Gould, Gomberg, Bethell, Villella, and Hertz (May-	601*
June, 561*; September-October)	933
Black-Schaffer, B. See Garcia-Caceres and Black-Schaffer (May-June) .	001
—, and Garcia-Caceres, U. Local renal Shwartzman phenomenon. (May-June)	592*
Bloodworth, J. M. B., Jr., and Hamwi, G. J. Histopathology of experimental glomerular lesions simulating human diabetic glomerulo-	392
sclerosis. (January-February)	167
Bloomer, W. E. See Kline, Bloomer, Stern, and Liebow (May-June)	574
Bragdon, J. H., and Mickelsen, O. Experimental atherosclerosis in the	
rat. (September-October)	965
Braunstein, H. Periarteritis nodosa limited to the pulmonary circula-	
tion. (September-October)	837
Brindley, P., and Stembridge, V. A. Aneurysms of the aorta: a report of	
358 cases. (May-June)	576*
Brinkhous, K. M. See Swanton and Brinkhous (May-June)	596*
Bruce, C. See Popper, Clearkin, Kent, Parthasarathy, and Bruce (May-	
June)	594

^{*} Abstract of paper presented at the meeting of the American Association of Pathologists and Bacteriologists held at Houston, Texas, April 7, 8, and 9, 1955.

 Brunson, J. G.; Davis, R. L., and Thomas, L. Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. III. The effects produced by endotoxin in association with certain high molecular weight acidic polymers. (July-August) . —; Gamble, C. N., and Thomas, L. Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. I. The effects produced in young and in mature animals by a single 	669
injection. (May-June) ; Thomas, L., and Gamble, C. N. Morphologic changes in rabbits following the intravenous administration of meningococcal toxin. II. Two appropriately spaced injections; the rôle of fibrinoid in the generalized Shwartzman reaction. (July-August). Butt, E. M. See Davis and Butt (May-June)	489 655 566*
Castleman, B. See Cohen, Chapman, and Castleman (May-June) Chapman, W. See Cohen, Chapman, and Castleman (May-June) Churg, J. See Grishman and Churg (May-June) Clark, R. L., Jr. See Russell, Guraieb, Wiltberger, and Clark (May-June) Clark, R. M., and Anderson, W. Rheumatic activity in auricular appendages removed at mitral valvoplasty. (September-October) Clark, W. H., Jr. Influence of cortisone on the development of the experi-	570* 570* 602* 585* 809
mental silica granuloma in the rat. (May-June)	563* 594*
Cochran, T. H., and Haut, A. Pattern of organ infiltrate in acute leukemia of children. (May-June) Cohen, B. M. See Smetana and Cohen (May-June) Cohen, R. B.; Chapman, W., and Castleman, B. Hyperadrenocorticism:	597* 597*
a histochemical study of surgically resected adrenal glands. (May-June) Collier, F. C. See Custer, Gunter, Warren, and Collier (May-June) Congdon, C. C. See MacCardle and Congdon (July-August) Cooper, N. S. See McTurk, Eckardt, Smith, and Cooper (May-June) Craig, J. M. Nephrotic syndrome induced in rats by aminonucleoside.	570* 597* 725 582*
(May-June) Crowson, C. N.; More, R. H., and King, J. B. Pathogenetic studies in the experimental hepatorenal syndrome using micro-angiography in	591*
Cruz, P. T. See Pollak and Cruz (May-June) Custer, R. P.; Gunter, M. J.; Warren, S., and Collier, F. C. On the mechanism of unexpected (so-called spontaneous) rupture of the	593* 573*
spleen in malignant lymphoma. (May-June) Dammin, G. J.; Goldman, M. L.; Schroeder, H. A., and Pace, M. G. Effects of prolonged experimental hypertension in the dog with a study of periodic renal biopsies over a seven-year period. (May-	597*
June) ; Hume, D. M.; Merrill, J. P.; Miller, B. F., and Thorn, G. W. Prolonged functional survival of a renal homotransplant in man:	587*
morphologic observations with clinical correlation. (May-June) Davis, F. E., and Butt, E. M. Study of cell groups in the hypophysis and their relation to granular cell myoblastomas. (May-June)	586*
Davis, O. F. See Oester, Davis, and Friedman (July-August)	717
Davis, R. L. See Brunson, Davis, and Thomas (July-August)	660
Decker, J. P. See Parkhurst and Decker (September-October)	821
Diamond, I. Kwashiorkor in a white American male. (May-June)	596*
Doll, J. P. See Elberg, Steiner, and Doll (November-December)	1065
	1003
Donohue, W. L.; Playfair, F. D., and Whitaker, L. Mumps encephalitis:	46.8
pathology and pathogenesis. (May-June)	565*
Dougherty, E., 3rd; Saunders, L. Z., and Parsons, E. H., Jr. The pathology of infectious serositis of ducks. (May-June)	475

INDEX OF AUTHORS	1197
Dowling, E. A. See Hathaway and Dowling (May-June)	583*
(March-April)	297
Eckardt, R. E. See McTurk, Eckardt, Smith, and Cooper (May-June). Ehrlich, J. C., and Ratner, I. M. Congenital cirrhosis of the liver with kernicterus: report of two cases in siblings with a discussion of the relationship to so-called neonatal hepatitis and to iso-immunization	582*
disease. (November-December). Elberg, S. S.; Steiner, P. E., and Doll, J. P. Immunization against Brucella infection. V. Histopathologic appraisal of immunity induced in mice by a streptomycin-dependent mutant of Brucella	1013
melitensis. (November-December). Elias, H. See Popper and Elias (May-June) —, and Popper, H. Three-dimensional analysis of hepatocellular	405
carcinoma. (May-June)	596*
given saccharated iron oxide intravenously. (May-June) Epstein, N. See Aronson, Volk, and Epstein (July-August)	591*
Farber, E. Improved method for the histochemical localization of oxidative enzymes in the kidney with tetrazolium. (May-June)	589* 590*
Farber, S. Carcinolytic action of antibiotics: puromycin and actino- mycin D. (May-June)	582*
Farquhar, M. G. See Rinehart, Farquhar, and Gould (May-June)	587*
brain. (July-August) Finamore, F. See Rosenthal, Finamore, Hunter, Hunter, and Roman (May-June)	568*
Fisher, R. S. See Lindenberg, Fisher, Durlacher, Lovitt, and Freytag (March-April)	207
Flanagan, J. F. See Bauer, Flanagan, and Sheldon (May-June) Follis, R. H., Jr. Studies on hypervitaminosis D. (May-June) Foraker, A. G. Comparison of histochemical properties of normal and	600* 568*
neoplastic squamous epithelium. (May-June) Freiman, D. G. Histochemical studies on the activation of tissue alka-	581*
line phosphatase and 5-nucleotidase. (May-June). Freytag, E. See Lindenberg, Fisher, Durlacher, Lovitt, and Freytag (March-April)	572°
Friedman, B. See Oester, Davis, and Friedman (July-August)	717
Gamble, C. N. See Brunson, Gamble, and Thomas (May-June)	489 655
Garcia-Caceres, U. See Black-Schaffer and Garcia-Caceres (May-June) —, and Black-Schaffer, B. Systemic effects of carbon particles coated	592*
with antigen. (May-June)	601*
Fanconi disease). (May-June, 567*; September-October) Glaubach, S., and Antopol, W. Chlorophyllin injection in pregnant mice.	791 601*
Goldman, M. L. See Dammin, Goldman, Schroeder, and Pace (May-June)	
Goldner, M. G. See Volk and Goldner (May-June). Gomberg, H. J. See Gould, Gomberg, Bethell, Villella, and Hertz (May-June 1612). September October (May-June 1612).	
June, 561*; September-October)	933
Gould, E. See Rinehart, Farquhar, and Gould (May-June)	
immunity to re-infection (May-June)	56T*

Challes on Talabiania shingle The	
; ; ; , and Studies on Trichinella spiralis. I to	
V. (September-October)	933
Grampa, G. See Old, Smith, and Grampa (May-June)	583*
Green, C. L. Histochemical demonstration of copper in a case of hepato-	203
lenticular degeneration (May-Tune)	EAE
lenticular degeneration. (May-June)	545
glomerular changes in glomerulonephritis. (May-June)	602*
Gross, P.; Westrick, M. L., and McNerney, J. M. Granulomatous	
pneumonitis caused by short-fibered asbestos dust (chrysotile).	
(May-June)	579*
Gross, S. W. See Feigin and Gross (July-August)	633
Gruenstein, M. See Harris, Shay, and Gruenstein (March-April)	367
Gunter, M. J. See Custer, Gunter, Warren, and Collier (May-June)	597*
Guraieb, S. See Russell, Guraieb, Wiltberger, and Clark (May-June) .	585*
Hackel, D. B. Pathologic and physiologic effects of hemorrhagic shock	
on the heart. (May-June)	576*
Hales, M. R.; Allan, J. S., and Hall, E. M. Injection corrosion studies of	3/0
the vascular systems of normal and cirrhotic livers. (May-June)	595*
Hall, E. M. See Hales, Allan, and Hall (May-June)	595*
Hamwi, G. J. See Bloodworth and Hamwi (January-February)	167
Harris, C.; Shay, H., and Gruenstein, M. A case of leukemic reticulo-	
endotheliosis in the rat. The relationship between this entity and	
Naegeli's monocytic myelogenous leukemia. (March-April)	367
Hartley, L. J. See Loring and Hartley (May-June)	521
Hartroft, W. S. Fat emboli in glomerular capillaries of choline-deficient	
rats and of patients with diabetic glomerulosclerosis. (May-June) .	381
Hathaway, C. O., and Dowling, E. A. LS tumor, a reticulum cell sarcoma	
of C57BL/6 mice. (May-June)	583
Haut, A. See Cochran and Haut (May-June)	597
Hertz, C. S. See Gould, Gomberg, Bethell, Villella, and Hertz (May-	
June, 561*; September-October)	933
Hicks, S. P. Pathologic effects of antimetabolites. I. Acute lesions in	
the hypothalamus, peripheral ganglia, and adrenal medulla caused by 3-acetyl pyridine and prevented by nicotinamide. (January-	
February)	189
Highman, B., and Atland, P. D. Susceptibility of endocardium of al-	
titude rats to various bacteria. (May-June)	603*
Hilgar, A. G. See Nadel and Hilgar (May-June)	605*
Hopps, H. C., and Wissler, R. W. Uremic pneumonitis. (March-April)	261
Howe, J. S., and Parrish, A. E. Correlation of glomerular filtration rate	
with histopathologic changes in glomeruli as seen in needle biopsy of	
the kidney. (May-June)	603*
, and Glomerulonephritis: a correlation of histopathology in	
needle biopsies of the kidney with the clinical course. (May-June) .	594
Hume, D. M. See Dammin, Hume, Merrill, Miller, and Thorn (May-	.0.0
June)	586*
Hunter, A. S. See Rosenthal, Finamore, Hunter, Hunter, and Roman	
(May-June)	568*
Hunter, F. R. See Rosenthal, Finamore, Hunter, Hunter, and Roman	
(May-June)	568*
Hutter, R. V. P. See Prior and Hutter (January-February)	107
Iverson, L. Thymoma: a review and reclassification. (May-June)	598*
Toffries W P See Level Toffries and Dece (Man June)	561*
Jeffries, W. B. See Larsh, Jeffries, and Race (May-June)	
Johnson, F. B. See Smetana and Johnson (July-August)	747,
Kark, R. M. See Pirani, Muehrcke, and Kark (May-June)	594*
Kaufman, N. See Mason and Kaufman (September-October)	883

Kent, G. See Popper, Clearkin, Kent, Parthasarathy, and Bruce (May-	
June) Kent, S. Fat embolism in diabetic patients without physical trauma.	594*
(May-June) King, J. B. See Crowson, More, and King (May-June). Kline, J. L.; Bloomer, W. E.; Stern, H., and Liebow, A. A. Retrocardiac,	399 593*
intercoronary, and transpleural components in experimentally produced collateral circulation to the heart. (May-June)	574*
Koletsky, S. Effects of massive whole body radiation in rats. (May-June)	568*
Laipply, T. C., and Sherrick, J. C. Intrathoracic angiomyomatous hyper- plasia associated with chronic chylothorax. (May-June) Lalich, J. J. The rôle of oxyhemoglobin and its derivatives in the patho- genesis of experimental hemoglobinuric nephrosis. (January-	599*
February)	153
Lamson, B. G. See Tullis, Lamson, and Madden (January-February). Larsh, J. E., Jr.; Jeffries, W. B., and Race, G. J. Histopathologic study of the small intestine of immature non-immunized mice infected	41
with Trichinella spiralis. (May-June)	561*
reports and an experimental study. (May-June)	501
Lesch, W. See Muirhead, Stirman, and Lesch (May-June)	585*
Leuchtenberger, C. See Moritz and Leuchtenberger (May-June)	564
Lev, M. See Benson, Lev, and Grand (May-June)	583*
Levine, S. See Schwarz, Silverman, Straub, Levine, and Adriano (May-	
June) Lichtenberg, F. Lesions of the intrahepatic portal radicles in Manson's	606*
schistosomiasis. (May-June, 604*; July-August)	757
Liebow, A. A. See Kline, Bloomer, Stern, and Liebow (May-June) Lindenberg, R.; Fisher, R. S.; Durlacher, S. H.; Lovitt, W. V., Jr., and Freytag, E. Lesions of the corpus callosum following blunt	574°
mechanical trauma to the head. (March-April) Loring, W. E., and Hartley, L. J. The destructive effects of DL-ethionine	297
on the pancreas, stomach, and submaxillary glands. (May-June). Love, R., and Roca-Garcia, M. Pathology of poliomyelitis in the chick embryo. (September-October).	901
Lovitt, W. V., Jr. See Lindenberg, Fisher, Durlacher, Lovitt, and Freytag (March-April)	207
Lux, J. J. See Shapiro, Lux, and Sprofkin (March-April)	319
MacCardle, R. C., and Congdon, C. C. Mitochondrial changes in hepatic	
cells of x-irradiated mice. (July-August)	725
Madden, S. C. See Tullis, Lamson, and Madden (January-February) . Makari, J. G. Detection of soluble carcinoma antigen by use of the	41
Schultz-Dale test. (May-June)	5814
Maniglia, R., and Bakst, A. A. Pathophysiologic evaluation in dogs of two surgical procedures used in patients with occlusive coronary	301
artery disease. (May-June)	574
Marcial-Rojas, R. A., and Meigs, J. V. Cancer of the cervix uteri: a	314
review of 169 necropsied cases. (November-December)	1077
Margolis, G., and Pickett, J. P. New applications of the luxol fast blue	
myelin stain. I. A myelo-angio-cyto-architectonic method. II. A myelin-neuroglia method. III. A myelin-fat method. IV. A "my-	
elin"-axis cylinder method. (May-June)	565
Mason, E. J., and Kaufman, N. Newcastle disease virus in cultures of chick embryo tissues: its multiplication, titration, and cytopatho-	
genicity. (September-October)	883
McManus, J. F. A. Ischemic glomeruli and their significance for glomerular structure. (May-June)	589
McMillan, J. B. Embolization of cerebral tissue to lungs following	3-9
severe head injury. (May-June)	579

McNerney, J. M. See Gross, Westrick, and McNerney (May-June) .	579*
McSwain, B. See Orr and McSwain (January-February)	125
McTurk, L. C.; Eckardt, R. E.; Smith, W. E., and Cooper, N. S. Experi-	
mental carcinogenesis of the skin in mice: dose-response relation-	
ships. (May-June)	582*
Meigs, J. V. See Marcial-Rojas and Meigs (November-December)	1077
Meisel, E. See Wachstein and Meisel (March-April, 353; May-June)	588*
Meissner, W. A., and Sommers, S. C. Endometrial hyperplasia and	
carcinoma produced by estrogen. (May-June)	571*
Mellors, R. C.; Arias-Stella, J.; Siegel, M., and Pressman, D. Analytical pathology. II. Histopathologic demonstration of glomerular-	
localizing antibodies in experimental glomerulonephritis. (May-	
June, 592*; July-August)	687
and Ortega, L. G. Further studies in quantitative cytopathology:	
optical measurements of the organic mass and the nucleoprotein	
mass of chromosomes in normal and neoplastic cells. (May-June) .	604*
Merrill, J. P. See Dammin, Hume, Merrill, Miller, and Thorn (May-	0.4
June)	586*
Michael, M., Jr. See Vogel, Michael, and Timpe (May-June)	535
Miller P. F. See Bragdon and Mickelsen (September-October).	965
June)	586*
Milles, G. Structural features of goiters in sporadic cretins. (November-	200
December)	997
Molomut, N. See Spain, Molomut, and Riess (May-June)	607*
Moore, M. Morphologic variation in tissue of the organisms of the blas-	
tomycoses and of histoplasmosis. (November-December)	1049
Moran, T. J. Experimental aspiration pneumonia: inflammatory and	
reparative changes produced by intratracheal injections of autol-	
ogous gastric juice and hydrochloric acid. (May-June)	579*
More, R. H. See Crowson, More, and King (May-June)	593*
pathogenesis of the lesions of experimental hypersensitivity and the	
collagen diseases. (May-June)	562*
Moritz, A. R., and Leuchtenberger, C. Systemic karyomegaly. Case	
report of a heretofore undescribed disease entity. (May-June)	564*
Movat, H. Z. See More and Movat (May-June)	562*
Muehrcke, R. C. See Pirani, Muehrcke, and Kark (May-June)	594
Muirhead, E. E.; Stirman, J. A., and Lesch, W. Reduction of post-	
nephrectomy hypertension by homogenous renal transplant medi-	-0-8
ated by means other than desalting and dehydration. (May-June). Mulligan, R. M. Hemangiopericytoma in the dog. (July-August)	585
	773
Nadel, E. M., and Hilgar, A. G. Resistance to quadruple combination	
chemotherapy in leukemia Lizio in mice. (May-June)	605*
Newnum, R. L. See Gatzimos, Schulz, and Newnum (May-June, 567*; September-October)	****
September-October)	791
Oester, Y. T.; Davis, O. F., and Friedman, B. Experimental arteri-	
opathy: spontaneous, epinephrine-thyroxine, and cholesterol-in-	
duced forms. (July-August)	717
Ohringer, L. See Saphir and Ohringer (May-June)	575*
observations on the significance of tumors containing more than one	
type of cell. (November-December)	975
Old, I. W.: Smith, W. W., and Grampa, G. Human lung in leukemia:	
observations on alveolar capillary leukostasis with reference to	
pathologic physiology. (May-June)	605*
Oliver, J. New approaches to the study of renal disorders. (May-June).	592*
O'Neal, R. M., and Thomas, W. A. Rôle of pulmonary hypertension and	
thrombo-embolism in the production of pulmonary arteriosclero-	578*
	3/0

Orbison, J. L. See Schoenberg and Orbison (May-June) Orr, M. F., and McSwain, B. Tissue culture of human breast carcinoma.	573*
(January-February)	604*
Ortoga, D. G. See Menors and Ortega (May-June)	004
Pace, M. G. See Dammin, Goldman, Schroeder, and Pace (May-June) .	587*
Pani, K. C. See Tedeschi, Wagner, and Pani (May-June)	576*
October)	821
Parrish, A. É. See Howe and Parrish (May-June) 594*,	603*
Parsons, E. H., Jr. See Dougherty, Saunders, and Parsons (May-June). Parthasarathy, M. See Popper, Clearkin, Kent, Parthasarathy, and	475
Bruce (May-June)	594*
Pearce, J. M. Effect of hyaluronidase antagonists on the reaction of the	
host to viral infection. (May-June) Peters, E. R., and Farber, E. Histochemical localization of certain oxidative enzymes during the production of infarcts of the rat kidney.	562*
(May-June) Pickett, J. P. See Margolis and Pickett (May-June)	590*
Pirani, C. L.; Muehrcke, R. C., and Kark, R. M. Renal diseases as	565*
studied by serial kidney biopsy. (May-June)	594*
uary-February)	565*
Playfair, F. D. See Donohue, Playfair, and Whitaker (May-June) Pollak, O. J., and Cruz, P. T. Serum elpherograms in experimental nephropathies of guinea-pigs. (May-June)	
Repart H. See Flies and Benner (May-June)	573
Popper, H. See Elias and Popper (May-June)	596*
; Clearkin, K.; Kent, G.; Parthasarathy, M., and Bruce, C. Coarse nodular cirrhosis produced by ethionine. (May-June)	594*
dimensional approach. (May-June) Powell, C. S., and Swan, L. L. Leprosy: pathologic changes observed in	405
fifty consecutive necropsies. (November-December) Pressman, D. See Mellors, Arias-Stella, Siegel, and Pressman (July-	1131
August)	687
Prior, J. T., and Hutter, R. V. P. Intimal repair of the aorta of the rabbit	107
following experimental trauma. (January-February)	107
Race, G. J. See Larsh, Jeffries, and Race (May-June) Randall, C. C. Susceptibility in vitro of adult horse tissue to equine abortion virus: previously undescribed lesions. (November-	561*
December)	1165
Ratner, I. M. See Ehrlich and Ratner (November-December)	1013
Reiner, L. See Russfield and Reiner (May-June)	572*
Rice, W. G. Qualitative analyses of antigens of myeloma serums with	443
the agar-gel technique. (May-June)	574*
Riess, B. See Spain, Molomut, and Riess (May-June)	607*
Rigdon, R. H. Atypical cirrhosis in the duck produced by methylcholan- threne. (May-June)	461
- Neurogenic tumors in the duck: an experimental study. (May-	
June)	583*
Rinehart, J. F. See Toreson and Rinehart (May-June)	569*
—; Farquhar, M. G., and Gould, E. Fine structure of the renal glomerulus. Histochemical and electron microscopic observations.	
(May-June)	587*
Roca-Garcia, M. See Love and Roca-Garcia (September-October)	901
Rogers, S. Influence of the intensity of exposure upon the number of pulmonary adenomas initiated by a single in vitro exposure to ultra-	
violet irradiation. (May-June)	582*

INDEX OF AUTHORS

1201

Roman, I. See Rosenthal, Finamore, Hunter, Hunter, and Roman (May-	
Tune)	568*
Rosenthal, S. R.; Finamore, F.; Hunter F. R.; Hunter, A. S., and Roman, I. On the pathogenesis of death due to burning of the skin.	
(May-June)	568*
Ruddle, F. See Berman, Stulberg, and Ruddle (May-June) Russell, R. P., and Berthrong, M. Bacterial endocarditis produced by	580*
the tubercle bacillus. (May-June)	577*
Russell, W. O. See Wynne and Russell (May-June)	584*
anoma. (May-June)	585*
physeal tumors in man. (May-June)	572*
Saphir, O. Signet-ring cell carcinoma of the urinary bladder. (March-April)	222
, and Ohringer, L. Coronary arteriosclerotic heart disease in the younger age group; its greater frequency among an increasingly	223
older necropsy population. (May-June)	575*
Saunders, L. Z. See Dougherty, Saunders, and Parsons (May-June). Scherer, W. F., and Syverton, J. T. The viral range in vitro of a malignant human epithelial cell (strain HeLa, Gey). III. Studies with	475
pseudolymphocytic choriomeningitis virus; general discussion.	
(January-February) Schlesinger, M. J., and Reiner, L. Focal myocytolysis of the heart.	31
(May-June)	443
Schlumberger, H. G. Transplantation of the parakeet pituitary tumor. (May-June)	583*
Schoenberg, M. D., and Orbison, J. L. Factors influencing metachro-	
masy in solutions. (May-June)	573*
June) Schulz, D. M. See Gatzimos, Schulz, and Newnum (May-June, 567*;	587*
September-October)	791
Schwarz, J. See Adriano and Schwarz (September-October)	859
See Straub and Schwarz (May-June)	599*
—; Silverman, F. N.; Straub, M.; Levine, S., and Adriano, S. Relation of splenic calcification to histoplasmosis. (May-June) Scott, E. B. Histopathology of amino acid deficiencies. IV. Tryptophan.	606*
(November-December)	IIII
Scotti, T. M. Basophilic degeneration of the myocardium. (May-June). Shapiro, J. L.; Lux, J. J., and Sprofkin, B. E. Histoplasmosis of the	606*
central nervous system. (March-April).	319
Shay, H. See Harris, Shay, and Gruenstein (March-April)	367
Sheldon, W. H. See Bauer, Flanagan, and Sheldon (May-June)	599*
Siegel, M. See Mellors, Arias-Stella, Siegel, and Pressman (July-August)	687
Silverman, F. N. See Schwarz, Silverman, Straub, Levine, and Adriano	
(May-June)	606*
Smetana, H. F., and Cohen, B. M. Mortality in relation to histology in Hodgkin's disease. (May-June)	597*
, and Johnson, F. B. Neonatal jaundice with giant cell transfor-	341
mation of the hepatic parenchyma. (July-August)	747
Smith, W. E. See McTurk, Eckardt, Smith, and Cooper (May-June) .	582*
Smith, W. W. See Old, Smith, and Grampa (May-June)	605*
Sommers, S. C. Glomerular ultraviolet absorptions after cortisone	
therapy, simulating diabetes mellitus. (May-June)	570*
- See Meissner and Sommers (May-June)	571*

Spain, D. M.; Molomut, N., and Riess, B. Effect of audiogenic stimuli	
on wound healing in DBA/1 mice. (May-June)	607*
Sprofkin, B. E. See Shapiro, Lux, and Sprofkin (March-April)	319
Stanton, M. F. See Wyatt, Sugarbaker, and Stanton (January-February)	143
Steer, A. Pathology of hemorrhagic fever. A comparison of the findings	
- 1951 and 1952. (March-April)	201
	1065
Stembridge, V. A. See Brindley and Stembridge (May-June)	576*
Stern, H. See Kline, Bloomer, Stern, and Liebow (May-June)	574
Sternberg, W. H. Association of masculinizing ovarian hilus cell tumors, ovarian stromal hyperplasia, and lutein-like cell proliferation. (May-	
June)	571*
Stirman, J. A. See Muirhead, Stirman, and Lesch (May-June)	585
Straub, M. See Schwarz, Silverman, Straub, Levine, and Adriano (May-	
June)	606*
-, and Schwarz, J. Healed primary complex in histoplasmosis. (May-	
June)	599
Stuart, J. R. See Waugh and Stuart (May-June)	575
Stulberg, C. S. See Berman, Stulberg, and Ruddle (May-June)	580°
Stumpf, H. H. See Wilens and Stumpf (March-April)	275
—, and Wilens, S. L. Pancreatic lesions and peripancreatic fat necrosis in cortisone-treated rabbits. (May-June)	563*
Sugarbaker, E. D. See Wyatt, Sugarbaker, and Stanton (January-	503
February)	143
Swan, L. L. See Powell and Swan (November-December)	1131
Swanton, M. C., and Brinkhous, K. M. Hemophilic arthropathy in dogs.	
(May-June)	596*
Syverton, J. T. See Scherer and Syverton (January-February)	31
	3-
Tedeschi, C. G.; Wagner, B. M., and Pani, K. C. Clinical significance	
of the Aschoff body based on morphologic and histochemical obser-	
vations. (May-June)	576*
Thal, A. Selective renal vasospasm and ischemic renal necrosis produced	
experimentally with staphylococcal toxin. Observations on the	
pathogenesis of bilateral cortical necrosis. (March-April)	233
Thomas, L. See Brunson, Davis, and Thomas (July-August)	669
See Brunson, Gamble, and Thomas (May-June)	489
See Brunson, Thomas, and Gamble (July-August)	655
Thomas, W. A. See O'Neal and Thomas (May-June)	578*
June)	586*
Timpe, A. See Vogel, Michael, and Timpe (May-June)	535
Toreson, W. E., and Rinehart, J. F. Histochemical observations on	333
hyalinized islets of Langerhans in diabetes mellitus. (May-June) .	569*
Towbin, A. Basic pathologic forms of cerebral palsy. (May-June)	567*
Tullis, J. L.; Lamson, B. G., and Madden, S. C. Pathology of swine	
exposed to total body gamma radiation from an atomic bomb source.	
(January-February)	41
Was Datter II To and Whitelets I W II-ttis said-stien in in	
Van Patter, H. T., and Whittick, J. W. Heterotopic ossification in in-	
testinal neoplasms. (January-February)	73
Villella, J. B. See Gould, Gomberg, Bethell, Villella, and Hertz (May- June, 561*; September-October)	022
Vogel, R. A.; Michael, M., Jr., and Timpe, A. Cortisone in experimental	933
histoplasmosis. (May-June)	535
Volk, B. W. See Aronson, Volk, and Enstein (July-August)	600
Volk, B. W. See Aronson, Volk, and Epstein (July-August)	
pancreatic alpha cells in the rat. (May-June)	560*
	3.9
Wachstein, M., and Meisel, E. Histochemical localization of enzymatic	
activities in various portions of the mammalian nephron. (May-	-004
June)	588*

-, and Succinic dehydrogenase activity in myocardial infarction	
and in induced myocardial necrosis. (March-April)	353
Wagner, B. M. Electrophoretic analysis of amyloid. (May-June)	573*
See Tedeschi, Wagner, and Pani (May-June)	576*
Warren, S. See Custer, Gunter, Warren, and Collier (May-June)	597*
Wattenberg, L. W. Studies on rickettsial toxins. III. Histochemical	
survey of selected tissue enzymes in mice receiving murine typhus	
toxin. (September-October)	875
Waugh, D., and Stuart, J. R. Sodium and potassium content of rabbit	
plasma and erythrocytes in relation to age and to blood pressure.	
(May-June)	575*
Westrick, M. L. See Gross, Westrick, and McNerney (May-June)	579*
Whitaker, L. See Donohue, Playfair, and Whitaker (May-June)	565*
Whittick, J. W. See Van Patter and Whittick (January-February)	73
Wilens, S. L. See Stumpf and Wilens (May-June)	563*
-, and Stumpf, H. H. Nodular and fatty glomerular lesions in rabbits	-
on cortisone. (March-April)	275
Wiltberger, W. W. See Russell, Guraieb, Wiltberger, and Clark (May-	
June)	585*
Wissler, R. W. See Hopps and Wissler (March-April)	261
Wyatt, J. P.; Sugarbaker, E. D., and Stanton, M. F. Involvement of	
internal mammary lymph nodes in carcinoma of the breast: studies	
of the extended radical mastectomy. (January-February)	143
Wynn, J. O. See Baker and Wynn (May-June)	599*
Wynne, E. S., and Russell, W. O. Pathogenesis of bovine ocular squa-	
mous cell carcinoma: histopathologic and clinical studies. (May-	
June)	584*
Yesner, R. Renal Shwartzman phenomenon in trichinosis. (May-June)	502*
resider, it. Renar Shwartzman phenomenon in trienmosis. (May-June)	394
Zimmerman, H. M. The nature of gliomas as revealed by animal ex-	
perimentation. (January-February)	1
Zimmerman, L. E. See Anderson and Zimmerman (November-Decem-	
ber)	1083

